

Clipped Head Wire Collated Strip Nails

APPLICATIONS: Framing, subflooring, decking, sheathing, siding, truss construction and fencing.



BOSTITCH N16
BOSTITCH N70S
BOSTITCH N80S, N80SB
BOSTITCH N86S



BOSTITCH N79WW
BOSTITCH N88WW
BOSTITCH N88WWB



BOSTITCH F28WW
BOSTITCH N100S



DUO-FAST CN-325B




FASCO F5C HHN 28-90
FASCO F6 HHN 28-90
FASCO R5C HHN 28-90SS-CT



MAX SN883CH/28
MAX SN890CH/28



PORTER CABLE FM350
PORTER CABLE FM350A



Clipped Head Strip Nails,
Wire Collated

These nails are similar to and **INTERCHANGE** with the tools shown.

Additional sizes may be available.


Some of the items may be available by special order only.

For more information, contact your **INTERCHANGE Brands** representative.

28° Clipped Head Strip Nails - BW Series (Wire Collated)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/STRIP	M/CTN	WT/CTN
10011	BW06D113	2" x .113 Bright Decking Nail	Diamond	25	2.0 M	14 Lbs.
10022	BW06D113-R	2" x .113 Bright Ring Decking Nail	Diamond	25	2.0 M	14 Lbs.
10023	BW06D113-G	2" x .113 Galvanized Decking Nail	Diamond	25	2.0 M	14 Lbs.
10032	BW06D113-GR	2" x .113 Galvanized Ring Decking Nail	Diamond	25	2.0 M	14 Lbs.
10035	BW06D113-HDGR	2" x .113 Hot Dip Galvanized Ring Decking Nail	Diamond	25	2.0 M	14 Lbs.
10041	BW08D113	2-3/8" x .113 Bright Decking Nail	Diamond	25	2.0 M	17 Lbs.
10051	BW08D113-R	2-3/8" x .113 Bright Ring Decking Nail	Diamond	25	2.0 M	17 Lbs.
10061	BW08D113-G	2-3/8" x .113 Galvanized Decking Nail	Diamond	25	2.0 M	17 Lbs.
10071	BW08D113-GR	2-3/8" x .113 Galvanized Ring Decking Nail	Diamond	25	2.0 M	17 Lbs.
10077	BW08D113-HDGR	2-3/8" x .113 Hot Dip Galvanized Ring Decking Nail	Diamond	25	2.0 M	17 Lbs.
10081	BW10D120	3" x .120 Bright Framing Nail	Diamond	25	2.0 M	20 Lbs.
10106	BW10D120-G	3" x .120 Galvanized Framing Nail	Diamond	25	2.0 M	20 Lbs.
10107	BW10D120-GR	3" x .120 Galvanized Ring Framing Nail	Diamond	25	2.0 M	20 Lbs.
10099	BW10D120-HDGR	3" x .120 Hot Dip Galvanized Ring Framing Nail	Diamond	25	2.0 M	21 Lbs.
10101	BW10D131	3" x .131 Bright Framing Nail	Diamond	25	2.0 M	22 Lbs.
10111	BW10D131-G	3" x .131 Galvanized Framing Nail	Diamond	25	2.0 M	22 Lbs.
10128	BW12D120-HDGR	3-1/4" x .120 Hot Dip Galvanized Ring Framing Nail	Diamond	25	2.0 M	24 Lbs.
10121	BW12D121	3-1/4" x .121 Bright Framing Nail	Diamond	25	2.0 M	25 Lbs.
10131	BW12D131	3-1/4" x .131 Bright Framing Nail	Diamond	25	2.0 M	25 Lbs.
10141	BW12D131-G	3-1/4" x .131 Galvanized Framing Nail	Diamond	25	2.0 M	25 Lbs.
10143	BW12D131-HDGR	3-1/4" x .131 Hot Dip Galvanized Ring Framing Nail	Diamond	25	2.0 M	26 Lbs.
10151	BW16D131	3-1/2" x .131 Bright Framing Nail	Diamond	25	2.0 M	27 Lbs.
10161	BW16D131-G	3-1/2" x .131 Galvanized Framing Nail	Diamond	25	2.0 M	27 Lbs.

Clipped Head Framing & Decking Nails



The tool pictures may vary slightly from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic or cordless tools. **Use this catalog as a guideline only.**



Clipped Head Paper Collated Strip Nails

APPLICATIONS: Framing, decking, sheathing, siding, truss construction and fencing.

These nails are similar to and **INTERCHANGE** with the tools shown.

Additional sizes may be available.

Some of the items may be available by special order only.

For more information, contact your **INTERCHANGE Brands** representative.



**BOSTITCH F33PT
BOSTITCH N79PT
BOSTITCH N90PT**



**FASCO F6 HHN 31-90
FASCO R5C HHN 31-90SS CT**



**HITACHI NR83AA
HITACHI NR83AAZ, NR83AA3
HITACHI NR90AA, NR90AD**



HITACHI NR90GC



**MAKITA AN942
MAKITA AN943**



**MAX SN883CH/34
MAX SN890CH/34**



**PASLODE IMCT, IM 325PP
PASLODE Impulse 300
PASLODE Impulse 325, 325CT
PASLODE Impulse 350**



**PASLODE 5300, 5325, 5350
PASLODE Power Master 5350-90S
PASLODE GN212, GK312
PASLODE SK312**

The tools that shoot these fasteners are shown on pages IN-4 and IN-5.

31° Clipped Head Strip Nails - PT Series (Paper Tape Collated)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/STRIP	M/CTN	WT/CTN
10410	PT06D113	GC21 2" x .113 Bright Decking Nail	Diamond	35-37	5.0 M	32 Lbs.
10420	PT06D113-R	GE21 2" x .113 Bright Ring Decking Nail	Diamond	35-37	5.0 M	32 Lbs.
10430	PT06D113-G	GC21 2" x .113 Galvanized Decking Nail	Diamond	35-37	5.0 M	31 Lbs.
10440	PT06D113-GR	GE21 2" x .113 Galvanized Ring Decking Nail	Diamond	35-37	5.0 M	31 Lbs.
10435	PT06D113-HDG	GC21 2" x .113 Hot Dip Galvanized Decking Nail	Diamond	35-37	5.0 M	30 Lbs.
10445	PT06D113-HDGR	GE21 2" x .113 Hot Dip Galvanized Ring Decking Nail	Diamond	35-37	5.0 M	30 Lbs.
10450	PT07D113-HC	GC23 2-1/4" x .113 High Carbon Decking Nail	Diamond	35-37	1.0 M	7 Lbs.
10460	PT08D113	GC24 2-3/8" x .113 Bright Decking Nail	Diamond	35-37	5.0 M	36 Lbs.
10470	PT08D113-R	GE24 2-3/8" x .113 Bright Ring Decking Nail	Diamond	35-37	5.0 M	36 Lbs.
10480	PT08D113-G	GC24 2-3/8" x .113 Galvanized Decking Nail	Diamond	35-37	5.0 M	36 Lbs.
10490	PT08D113-GR	GE24 2-3/8" x .113 Galvanized Ring Decking Nail	Diamond	35-37	5.0 M	36 Lbs.
10485	PT08D113-HDG	GC24 2-3/8" x .113 Hot Dip Galvanized Decking Nail	Diamond	35-37	5.0 M	36 Lbs.
10495	PT08D113-HDGR	GE24 2-3/8" x .113 Hot Dip Galvanized Ring Decking Nail	Diamond	35-37	5.0 M	36 Lbs.
10487	PT08D113-SS	GC24 2-3/8" x .113 Stainless Steel Decking Nail	Diamond	35-37	1.0 M	9 Lbs.
10494	PT08D120	HC24 2-3/8" x .120 Bright Decking Nail	Diamond	35-37	5.0 M	39 Lbs.
10496	PT08D120-R	HE24 2-3/8" x .120 Bright Ring Decking Nail	Diamond	35-37	5.0 M	40 Lbs.
10498	PT09D131	KC26 2-3/4" x .131 Bright Framing Nail	Diamond	35-37	2.5 M	28 Lbs.
10500	PT10D120	HC27 3" x .120 Bright Framing Nail	Diamond	35-37	2.5 M	25 Lbs.
10510	PT10D120-R	HE27 3" x .120 Bright Ring Framing Nail	Diamond	35-37	2.5 M	25 Lbs.
10512	PT10D120-S	HF27 3" x .120 Bright Screw Framing Nail	Diamond	35-37	2.5 M	25 Lbs.
10515	PT10D120-G	HC27 3" x .120 Galvanized Framing Nail	Diamond	35-37	2.5 M	25 Lbs.
10520	PT10D120-GR	HE27 3" x .120 Galvanized Ring Framing Nail	Diamond	35-37	2.5 M	25 Lbs.
10525	PT10D120-HDGR	HE27 3" x .120 Hot Dip Galvanized Ring Framing Nail	Diamond	35-37	2.5 M	25 Lbs.
10530	PT10D131	KC27 3" x .131 Bright Framing Nail	Diamond	35-37	2.5 M	29 Lbs.
10535	PT10D131-S	KF27 3" x .131 Bright Screw Framing Nail	Diamond	35-37	2.5 M	29 Lbs.
10540	PT10D131-G	KC27 3" x .131 Galvanized Framing Nail	Diamond	35-37	2.5 M	29 Lbs.
10545	PT10D131-HDG	KC27 3" x .131 Hot Dip Galvanized Framing Nail	Diamond	35-37	2.5 M	29 Lbs.
10547	PT12D120	HC28 3-1/4" x .120 Bright Framing Nail	Diamond	35-37	2.5 M	27 Lbs.
10548	PT12D120-GR	HE28 3-1/4" x .120 Galvanized Ring Framing Nail	Diamond	35-37	2.5 M	27 Lbs.
10550	PT12D131	KC28 3-1/4" x .131 Bright Framing Nail	Diamond	35-37	2.5 M	31 Lbs.
10560	PT12D131-G	KC28 3-1/4" x .131 Galvanized Framing Nail	Diamond	35-37	2.5 M	31 Lbs.
10565	PT12D131-HDG	KC28 3-1/4" x .131 Hot Dip Galvanized Framing Nail	Diamond	35-37	2.5 M	31 Lbs.
10567	PT12D131-HDGR	KE28 3-1/4" x .131 Hot Dip Galvanized Ring Framing Nail	Diamond	35-37	2.5 M	34 Lbs.
10568	PT12D131-SS	KC28 3-1/4" x .131 Stainless Steel Framing Nail	Diamond	35-37	2.5 M	35 Lbs.
10570	PT16D131	KC29 3-1/2" x .131 Bright Framing Nail	Diamond	35-37	2.5 M	36 Lbs.
10580	PT16D131-G	KC29 3-1/2" x .131 Galvanized Framing Nail	Diamond	35-37	2.5 M	36 Lbs.
10585	PT16D131-HDG	KC29 3-1/2" x .131 Hot Dip Galvanized Framing Nail	Diamond	35-37	2.5 M	37 Lbs.

Clipped Head Framing & Decking Nails

The tool pictures may vary slightly from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic or cordless tools. **Use this catalog as a guideline only.**

Offset Round Head Paper Collated Strip Nails

APPLICATIONS: Framing, decking, sheathing, siding, truss construction and fencing.



These nails are similar to and **INTERCHANGE** with the tools shown.

Additional sizes may be available.

Some of the items may be available by special order only.

For more information, contact your **INTERCHANGE Brands** representative.



PASLODE 900420
PASLODE CF325 (902200)



PASLODE F350S Power Master Plus
PASLODE F400S Power Master Plus
PASLODE 5300, 5325, 5350



PORTER CABLE FC350
PORTER CABLE FC350A



SENCO SN2, SN2+, SN3, SN4
SENCO SN70
SENCO SN325, SN325+



SENCO FramePro 601 / 651
SENCO FramePro 701XP / 751XP



SENCO SN901XP
SENCO SN951XP



SENCO GT90CH




SPOTNAILS NTD90
SPOTNAILS YTD90


The tools that shoot these fasteners are shown on pages IN-4 and IN-5.

31° Offset Round Head Strip Nails - PTOR Series (Paper Tape Collated)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	POINT	QTY/STRIP	M/CTN	WT/CTN
10678	PTOR06D113-HDG	2" x .113 Hot Dip Galvanized Decking Nail	Diamond	35-37	5.0 M	30 Lbs.
10680	PTOR06D113-HDGR	2" x .113 Hot Dip Galvanized Ring Decking Nail	Diamond	35-37	5.0 M	30 Lbs.
10681	PTOR08D113	2-3/8" x .113 Bright Decking Nail	Diamond	35-37	5.0 M	34 Lbs.
10682	PTOR08D113-HDG	2-3/8" x .113 Hot Dip Galvanized Decking Nail	Diamond	35-37	5.0 M	34 Lbs.
10683	PTOR08D113-R	2-3/8" x .113 Bright Ring Decking Nail	Diamond	35-37	5.0 M	34 Lbs.
10684	PTOR08D113-HDGR	2-3/8" x .113 Hot Dip Galvanized Ring Decking Nail	Diamond	35-37	5.0 M	34 Lbs.
10686	PTOR10D120	3" x .120 Bright Framing Nail	Diamond	35-37	2.5 M	24 Lbs.
10688	PTOR10D120-HDG	3" x .120 Hot Dip Galvanized Framing Nail	Diamond	35-37	2.5 M	24 Lbs.
10692	PTOR10D120-HDGR	3" x .120 Hot Dip Galvanized Ring Framing Nail	Diamond	35-37	2.5 M	24 Lbs.
10694	PTOR10D131	3" x .131 Bright Framing Nail	Diamond	35-37	2.5 M	29 Lbs.
10696	PTOR10D131-HDG	3" x .131 Hot Dip Galvanized Framing Nail	Diamond	35-37	2.5 M	29 Lbs.
10698	PTOR10D131-HDGR	3" x .131 Hot Dip Galvanized Ring Framing Nail	Diamond	35-37	2.5 M	29 Lbs.
10699	PTOR12D131	3-1/4" x .131 Bright Framing Nail	Diamond	35-37	2.5 M	31 Lbs.
10700	PTOR12D131-HDG	3-1/4" x .131 Hot Dip Galvanized Framing Nail	Diamond	35-37	2.5 M	32 Lbs.
10705	PTOR16D131	3-1/2" x .131 Bright Framing Nail	Diamond	35-37	2.5 M	36 Lbs.




Clipped Head Strip Nails



Offset Round Head Nails



Clipped Head Strip Nails, Paper Tape Collated



Offset Round Head Strip Nails, Paper Tape Collated

Interchange Brands hot dipped galvanized PT and PTOR nails are true hot dipped nails and exceed the requirements of the 1991 ICBO Uniform Building Code (UBC) standards for power driven nails as specified in Table 25-17-T in Part IV. Furthermore, they exceed ASTM A641-91, Class II specifications for coating weight, which calls for a .5 ounce/ft².

Interchange hot dipped galvanized nail specification calls for a minimum thickness of 1.0 ounce/ft², doubling Class II specifications, exceeding ASTM A6491-91, Class III, and tripling the requirements of the 1991 UBC standards.

The tool pictures may vary slightly from actual tool.

The information in this catalog represents current information related to the compatibility between the fasteners and the pneumatic or cordless tools. **Use this catalog as a guideline only.**